

Validation Report For  
<http://alarmcoaudiotech.com/>  
Completed on 2013-01-01 12:27

Pages Validated: 22  
Warnings: 0  
Errors: 151

## Summary

Pages Discovered	Info	Warnings	Errors
<a href="http://alarmcoaudiotech.com/">http://alarmcoaudiotech.com/</a>	2	0	8
<a href="http://alarmcoaudiotech.com/security-systems/">http://alarmcoaudiotech.com/security-systems/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/lynx-touch-systems/">http://alarmcoaudiotech.com/lynx-touch-systems/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/the-secured-home/">http://alarmcoaudiotech.com/the-secured-home/</a>	2	0	7
<a href="http://alarmcoaudiotech.com/go-mobile/">http://alarmcoaudiotech.com/go-mobile/</a>	2	0	9
<a href="http://alarmcoaudiotech.com/home-security-user-guide/">http://alarmcoaudiotech.com/home-security-user-guide/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/cctv/">http://alarmcoaudiotech.com/cctv/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/video-surveillance-systems/">http://alarmcoaudiotech.com/video-surveillance-systems/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/about-us/">http://alarmcoaudiotech.com/about-us/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/services/">http://alarmcoaudiotech.com/services/</a>	2	0	5
<a href="http://alarmcoaudiotech.com/category/testimonials/">http://alarmcoaudiotech.com/category/testimonials/</a>	2	0	18
<a href="http://alarmcoaudiotech.com/contact/">http://alarmcoaudiotech.com/contact/</a>	2	0	4
<a href="http://alarmcoaudiotech.com/testimonials/top-notch/">http://alarmcoaudiotech.com/testimonials/top-notch/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/author/admin/">http://alarmcoaudiotech.com/author/admin/</a>	2	0	20
<a href="http://alarmcoaudiotech.com/testimonials/watch-your-house-on-your-blackberry/">http://alarmcoaudiotech.com/testimonials/watch-your-house-on-your-blackberry/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/testimonials/security-system-a/">http://alarmcoaudiotech.com/testimonials/security-system-a/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/testimonials/home-protection/">http://alarmcoaudiotech.com/testimonials/home-protection/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/testimonials/awesome-video-surveillance-cameras/">http://alarmcoaudiotech.com/testimonials/awesome-video-surveillance-cameras/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/testimonials/fantastic-job-on-dvr-system/">http://alarmcoaudiotech.com/testimonials/fantastic-job-on-dvr-system/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/testimonials/professional-installatio/">http://alarmcoaudiotech.com/testimonials/professional-installatio/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/security-and-surveillance-terms/cellular-control-channel/">http://alarmcoaudiotech.com/security-and-surveillance-terms/cellular-control-channel/</a>	2	0	6
<a href="http://alarmcoaudiotech.com/category/security-and-surveillance-terms/">http://alarmcoaudiotech.com/category/security-and-surveillance-terms/</a>	2	0	6

## Detail

<http://alarmcoaudiotech.com/> 

Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 36, column 1; to line 36, column 47

```
/script><script type="text/javascript" charset="utf-8"> /**
```

Error: Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 58, column 1; to line 58, column 47

```
/script><script type="text/javascript" charset="utf-8"> /**
```

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 79, column 4; to line 79, column 30

```
></h1> <div id="site-description"> <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 83, column 4; to line 83, column 91

```
</div> <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"> <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: Element `object` is missing one or more of the following attributes: `data`, `type`.

From line 133, column 1; to line 137, column 16

```
:10px;"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" id="fm_homepage_video2012_1507921579">
```

```
class="flashmovie" width="941" height="488"> <
par
Attributes for element object:
  Global attributes
  data
  type
  typemustmatch
  name
  usemap
  form
  width
  height
```

Error: The classid attribute on the object element is obsolete. Use the data and type attributes to invoke plugins. To set a parameter with the name classid, use the param element.

From line 133, column 1; to line 137, column 16

```
:10px;"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000" id="fm_homepage_video2012_1507921579"
class="flashmovie" width="941" height="488"> <
par
```

Error: Bad value group for attribute rel on element a: Keyword group is not registered.

From line 183, column 8; to line 183, column 80

```
"> <p><a class="fancybox" rel="group"
href="/images/lynx-touch-5100-large.jpg"><img s
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: The element header must not appear as a descendant of the footer element.

From line 187, column 4; to line 187, column 89

```
2em;"> <header
style="float:left;width:100%;clear:both;margin-
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/security-systems/> ↑

Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite

## 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵<script type="text/javascript" charset="utf-8">↵↵ /**
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div>↵ <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">↵ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** The element header must not appear as a descendant of the footer element.

From line 161, column 4; to line 161, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/lynx-touch-systems/>



**Info:** The Content-Type was `text/html`. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8"> /**
```

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1><div id="site-description"> <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div><div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"> <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: The element header must not appear as a descendant of the footer element.

From line 181, column 4; to line 181, column 89

```
info"><header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/the-secured-home/> 

Info: The Content-Type was `text/html`. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8"> /**
```



From line 134, column 1; to line 138, column 16

```
tent">↵ ↵<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"↵ id="fm_interactive_home03_22_12_327237311"↵ class="flashmovie"↵ width="941"↵ height="488"↵>↵ <par
```

Error: The element header must not appear as a descendant of the footer element.

From line 177, column 4; to line 177, column 89

```
info">↵ ↵<header↵ style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/go-mobile/> ↑

Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵<script type="text/javascript" charset="utf-8">↵↵ /**
```

Error: Element script must not have attribute charset unless attribute src is also specified.

From line 57, column 1; to line 57, column 47

```
/script>↵↵<script type="text/javascript" charset="utf-8">↵↵ /**
```

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 78, column 4; to line 78, column 30

```
></h1>↵ ↵<div id="site-description">↵ ↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 82, column 4; to line 82, column 91

```
</div>↵      <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">↵      <
```

Contexts in which element `div` may be used:

Where flow content is expected.

Content model for element `hgroup`:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Element `object` is missing one or more of the following attributes: data, type.

From line 134, column 1; to line 138, column 16

```
tent">↵      ↵<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"↵      id="fm_go_mobile_1835592480"↵      class="flashmovie"↵      width="330"↵      height="328">↵      <par
```

Attributes for element `object`:

Global attributes

data

type

typemustmatch

name

usemap

form

width

height

Error: The classid attribute on the object element is obsolete. Use the data and type attributes to invoke plugins. To set a parameter with the name classid, use the param element.

From line 134, column 1; to line 138, column 16

```
tent">↵      ↵<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"↵      id="fm_go_mobile_1835592480"↵      class="flashmovie"↵      width="330"↵      height="328">↵      <par
```

Error: The width attribute on the td element is obsolete. Use CSS instead.

From line 165, column 5; to line 166, column 16

```
</tr>↵<tr>↵<td width="125">↵</td>↵
```

Error: The width attribute on the td element is obsolete. Use CSS instead.

From line 166, column 22; to line 167, column 16

```
125"></td>↵<td width="264">↵</td>↵
```

Error: The element header must not appear as a descendant of the footer element.





**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8"> /*
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1><<div id="site-description"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div><<div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** The `valign` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 120, column 5; to line 121, column 30

```
body><tr><<td valign="top" width="100%">There
```

**Error:** The `width` attribute on the `td` element is obsolete. [Use CSS instead.](#)

From line 120, column 5; to line 121, column 30

```
body><tr><<td valign="top" width="100%">There
```

**Error:** The element `header` must not appear as a descendant of the

footer element.

From line 159, column 4; to line 159, column 89

```
info">␣␣␣<header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/video-surveillance-systems/>



Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script>␣␣␣<script type="text/javascript" charset="utf-  
8">␣␣␣ /**
```

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1>␣␣␣<div id="site-description">␣␣␣ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div>␣␣␣<div style="float:right;font-size:1.6em;text-  
align:right;margin-top:8px;line-height:1;">␣␣␣ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

Error: The element `header` must not appear as a descendant of the footer element.

From line 153, column 4; to line 153, column 89

```
info">␣␣␣<header  
style="float:left;width:100%;clear:both;margin-
```

```
bottom: 1em; text-align: center; "><hgrou
```

<http://alarmcoaudiotech.com/about-us/> 

**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8"> **
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1><div id="site-description"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div><div style="float: right; font-size: 1.6em; text-align: right; margin-top: 8px; line-height: 1;"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** The element header must not appear as a descendant of the footer element.

From line 152, column 4; to line 152, column 89

```
info"><header style="float: left; width: 100%; clear: both; margin-bottom: 1em; text-align: center;"><hgrou
```

<http://alarmcoaudiotech.com/services/> 

**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8">/**
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 63, column 4; to line 63, column 30

```
></h1><div id="site-description"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 67, column 4; to line 67, column 91

```
</div><div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"><
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** No `p` element in scope but a `p` end tag seen.

From line 121, column 80; to line 121, column 83

```
:</strong></p><ul>
```

**Error:** The element `header` must not appear as a descendant of the `footer` element.

From line 173, column 4; to line 173, column 89

```
info"><header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 36, column 1; to line 36, column 47

```
/script><<script type="text/javascript" charset="utf-8"><< /**
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1><<div id="site-description"><< <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div><<div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"><< <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Attribute `pubdate` not allowed on element `time` at this point.

From line 131, column 132; to line 131, column 201

```
bookmark"><time class="entry-date" datetime="2011-01-12T21:54:41+00:00" pubdate>Januar
```

Attributes for element `time`:

Global attributes

datetime

pubdate

**Error:** Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 141, column 15; to line 141, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/"
```

```
title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. **You can register link types on the [Microformats wiki](#) yourself.**

**Error:** Attribute pubdate not allowed on element time at this point.

From line 156, column 158; to line 156, column 227

```
bookmark"><time class="entry-date" datetime="2011-01-12T16:46:56+00:00" pubdate>Januar
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 166, column 15; to line 166, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. **You can register link types on the [Microformats wiki](#) yourself.**

**Error:** Attribute pubdate not allowed on element time at this point.

From line 181, column 140; to line 181, column 209

```
bookmark"><time class="entry-date" datetime="2011-01-09T21:56:35+00:00" pubdate>Januar
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 192, column 15; to line 192, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on<a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: Attribute pubdate not allowed on element time at this point.

From line 207, column 138; to line 207, column 207

```
bookmark"><time class="entry-date" datetime="2010-12-24T16:00:08+00:00" pubdate>Decemb
```

Attributes for element time:

Global attributes

datetime

pubdate

Error: Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 217, column 15; to line 217, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on<a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: Attribute pubdate not allowed on element time at this point.

From line 232, column 157; to line 232, column 226

```
bookmark"><time class="entry-date" datetime="2010-08-04T21:56:46+00:00" pubdate>August
```

Attributes for element time:

Global attributes

datetime

pubdate

Error: Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 243, column 15; to line 243, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on<a>



and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element `time` at this point.

From line 258, column 150; to line 258, column 219

```
bookmark"><time class="entry-date" datetime="2006-02-09T16:12:38+00:00" pubdate>Februa
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

**Error:** Bad value category tag for attribute rel on element `a`: Keyword category is not registered.

From line 268, column 15; to line 268, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element `time` at this point.

From line 283, column 147; to line 283, column 216

```
bookmark"><time class="entry-date" datetime="2005-11-08T16:14:39+00:00" pubdate>Novemb
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

**Error:** Bad value category tag for attribute rel on element `a`: Keyword category is not registered.

From line 293, column 15; to line 293, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in

the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 332, column 4; to line 332, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/contact/> [↑](#)

**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 36, column 1; to line 36, column 47

```
/script>↵↵ <script type="text/javascript" charset="utf-  
8">↵↵ /**
```

**Error:** Element [div](#) not allowed as child of element [hgroup](#) in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

Content model for element [hgroup](#):

One or more [h1](#), [h2](#), [h3](#), [h4](#), [h5](#), and/or [h6](#) elements.

**Error:** Element [div](#) not allowed as child of element [hgroup](#) in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵ <div style="float:right;font-size:1.6em;text-  
align:right;margin-top:8px;line-height:1;">↵ <
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

Content model for element [hgroup](#):

One or more [h1](#), [h2](#), [h3](#), [h4](#), [h5](#), and/or [h6](#) elements.

**Error:** The element header must not appear as a descendant of the footer element.

From line 173, column 4; to line 173, column 89

```
info">␣␣␣<header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/top-notch/> [↑](#)

**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script>␣␣␣<script type="text/javascript" charset="utf-  
8">␣␣␣ /**
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>␣␣␣<div id="site-description">␣␣␣ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>␣␣␣<div style="float:right;font-size:1.6em;text-  
align:right;margin-top:8px;line-height:1;">␣␣␣ <
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Attribute `pubdate` not allowed on element `time` at this point.

From line 118, column 132; to line 118, column 201

```
bookmark"><time class="entry-date" datetime="2011-01-  
12T21:54:41+00:00" pubdate>Januar
```

Attributes for element `time`:

Global attributes

datetime

pubdate

Error: Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 127, column 28; to line 127, column 146

```
posted in <a  
href="http://alarmcoaudiotech.com/category/testimonials/"  
title="View all posts in Testimonials" rel="category  
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: The element header must not appear as a descendant of the footer element.

From line 171, column 4; to line 171, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/author/admin/> ↑

Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element script must not have attribute charset unless attribute src is also specified.

From line 36, column 1; to line 36, column 47

```
/script>↵↵ <script type="text/javascript" charset="utf-  
8">↵↵ /**
```

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵      <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">↵      <
```

Contexts in which element `div` may be used:

Where flow content is expected.

Content model for element `hgroup`:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Attribute `pubdate` not allowed on element `time` at this point.

From line 130, column 166; to line 130, column 235

```
bookmark"><time class="entry-date" datetime="2011-12-25T20:48:19+00:00" pubdate>Decemb
```

Attributes for element `time`:

Global attributes

datetime

pubdate

Error: Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 141, column 15; to line 141, column 163

```
Posted in <a href="http://alarmcoaudiotech.com/category/security-and-surveillance-terms/" title="View all posts in Security Industry Terms" rel="category tag">Securi
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the HTML specification or listed as an allowed on `<a>` and `<area>` on the Microformats wiki without duplicate keywords in the list. You can register link types on the Microformats wiki yourself.

Error: Attribute `pubdate` not allowed on element `time` at this point.

From line 156, column 132; to line 156, column 201

```
bookmark"><time class="entry-date" datetime="2011-01-12T21:54:41+00:00" pubdate>Januar
```

Attributes for element `time`:

Global attributes

datetime

pubdate

Error: Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 166, column 15; to line 166, column 133

```
Posted in <a
```

```
href="http://alarmcoaudiotech.com/category/testimonials/"
title="View all posts in Testimonials" rel="category
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element `time` at this point.

From line 181, column 158; to line 181, column 227

```
bookmark"><time class="entry-date" datetime="2011-01-
12T16:46:56+00:00" pubdate>Januar
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

**Error:** Bad value category tag for attribute rel on element `a`: Keyword category is not registered.

From line 191, column 15; to line 191, column 133

```
Posted in <a
href="http://alarmcoaudiotech.com/category/testimonials/"
title="View all posts in Testimonials" rel="category
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element `time` at this point.

From line 206, column 140; to line 206, column 209

```
bookmark"><time class="entry-date" datetime="2011-01-
09T21:56:35+00:00" pubdate>Januar
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

**Error:** Bad value category tag for attribute rel on element `a`: Keyword category is not registered.

From line 217, column 15; to line 217, column 133

```
Posted in <a
href="http://alarmcoaudiotech.com/category/testimonials/"
title="View all posts in Testimonials" rel="category
```

**tag">**Testim

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on<a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element time at this point.

From line 232, column 138; to line 232, column 207

```
bookmark"><time class="entry-date" datetime="2010-12-24T16:00:08+00:00" pubdate>Decemb
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 242, column 15; to line 242, column 133

Posted in **<a**

```
href="http://alarmcoaudiotech.com/category/testimonials/"  
title="View all posts in Testimonials" rel="category  
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on<a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** Attribute pubdate not allowed on element time at this point.

From line 257, column 157; to line 257, column 226

```
bookmark"><time class="entry-date" datetime="2010-08-04T21:56:46+00:00" pubdate>August
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 268, column 15; to line 268, column 133

Posted in **<a**

```
href="http://alarmcoaudiotech.com/category/testimonials/"  
title="View all posts in Testimonials" rel="category  
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>` and `<area>` on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: Attribute `pubdate` not allowed on element `time` at this point.

From line 283, column 150; to line 283, column 219

```
bookmark"><time class="entry-date" datetime="2006-02-09T16:12:38+00:00" pubdate>Februa
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

Error: Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 293, column 15; to line 293, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>` and `<area>` on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

Error: Attribute `pubdate` not allowed on element `time` at this point.

From line 308, column 147; to line 308, column 216

```
bookmark"><time class="entry-date" datetime="2005-11-08T16:14:39+00:00" pubdate>Novemb
```

Attributes for element `time`:

[Global attributes](#)

[datetime](#)

[pubdate](#)

Error: Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 318, column 15; to line 318, column 133

```
Posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>`



and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 357, column 4; to line 357, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/watch-your-house-on-your-blackberry/>



**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵ <script type="text/javascript" charset="utf-  
8">↵↵ /**
```

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵ <div style="float:right;font-size:1.6em;text-  
align:right;margin-top:8px;line-height:1;">↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Attribute pubdate not allowed on element time at this point.

From line 118, column 158; to line 118, column 227

```
bookmark"><time class="entry-date" datetime="2011-01-12T16:46:56+00:00" pubdate>Januar
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 127, column 28; to line 127, column 146

```
posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. **You can register link types on the [Microformats wiki](#) yourself.**

**Error:** The element header must not appear as a descendant of the footer element.

From line 171, column 4; to line 171, column 89

```
info">␣␣␣<header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/security-system-a/>



**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script>␣␣␣<script type="text/javascript" charset="utf-8">␣␣␣ /**
```

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1><div id="site-description">
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div><div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Attribute `pubdate` not allowed on element `time` at this point.

From line 118, column 140; to line 118, column 209

```
bookmark"><time class="entry-date" datetime="2011-01-09T21:56:35+00:00" pubdate>Januar
```

Attributes for element `time`:

`Global attributes`

`datetime`

`pubdate`

**Error:** Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 128, column 28; to line 128, column 146

```
posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>` and `<area>` on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 172, column 4; to line 172, column 89

```
info"><header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script><<script type="text/javascript" charset="utf-8"> /*
```

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1><div id="site-description"><
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div><div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"><
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Attribute pubdate not allowed on element time at this point.

From line 118, column 138; to line 118, column 207

```
bookmark"><time class="entry-date" datetime="2010-12-24T16:00:08+00:00" pubdate>Decemb
```

Attributes for element time:

Global attributes

datetime

pubdate

Error: Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 127, column 28; to line 127, column 146

```
posted in <a  
href="http://alarmcoaudiotech.com/category/testimonials/"  
title="View all posts in Testimonials" rel="category  
tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the [HTML specification](#) or listed as an allowed on <a> and <area> on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 171, column 4; to line 171, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/awesome-video-surveillance-cameras/>



**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵ <script type="text/javascript" charset="utf-  
8">↵↵ /**
```

**Error:** Element [div](#) not allowed as child of element [hgroup](#) in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

Content model for element [hgroup](#):

One or more [h1](#), [h2](#), [h3](#), [h4](#), [h5](#), and/or [h6](#) elements.

**Error:** Element [div](#) not allowed as child of element [hgroup](#) in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵      <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">↵      <
```

Contexts in which element `div` may be used:

Where flow content is expected.

Content model for element `hgroup`:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Attribute `pubdate` not allowed on element `time` at this point.

From line 118, column 157; to line 118, column 226

```
bookmark"><time class="entry-date" datetime="2010-08-04T21:56:46+00:00" pubdate>August
```

Attributes for element `time`:

Global attributes

datetime

pubdate

Error: Bad value `category` tag for attribute `rel` on element `a`: Keyword `category` is not registered.

From line 128, column 28; to line 128, column 146

```
posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the HTML specification or listed as an allowed on `<a>` and `<area>` on the Microformats wiki without duplicate keywords in the list. You can register link types on the Microformats wiki yourself.

Error: The element header must not appear as a descendant of the footer element.

From line 172, column 4; to line 172, column 89

```
info">↵      <header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/fantastic-job-on-dvr-system/>



Info: The Content-Type was `text/html`. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element `script` must not have attribute `charset` unless attribute `src` is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵<script type="text/javascript" charset="utf-8">↵↵ /**
```

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element `div` may be used:

Where flow content is expected.

Content model for element `hgroup`:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵ <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">↵ <
```

Contexts in which element `div` may be used:

Where flow content is expected.

Content model for element `hgroup`:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Attribute `pubdate` not allowed on element `time` at this point.

From line 118, column 150; to line 118, column 219

```
bookmark"><time class="entry-date" datetime="2006-02-09T16:12:38+00:00" pubdate>Februa
```

Attributes for element `time`:

Global attributes

datetime

pubdate

**Error:** Bad value `category` tag for attribute `rel` on element `a`: Keyword category is not registered.

From line 127, column 28; to line 127, column 146

```
posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the HTML specification or listed as an allowed on `<a>` and `<area>` on the Microformats wiki without duplicate keywords in

the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 171, column 4; to line 171, column 89

```
info">↵ <header  
style="float:left;width:100%;clear:both;margin-  
bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/testimonials/professional-installatio/>



**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script>↵↵ <script type="text/javascript" charset="utf-  
8">↵↵ /**
```

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1>↵ <div id="site-description">↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div>↵ <div style="float:right;font-size:1.6em;text-  
align:right;margin-top:8px;line-height:1;">↵ <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

**Error:** Attribute pubdate not allowed on element time at this point.

From line 118, column 147; to line 118, column 216



```
bookmark"><time class="entry-date" datetime="2005-11-08T16:14:39+00:00" pubdate>Novemb
```

Attributes for element time:

Global attributes

datetime

pubdate

**Error:** Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 127, column 28; to line 127, column 146

```
posted in <a href="http://alarmcoaudiotech.com/category/testimonials/" title="View all posts in Testimonials" rel="category tag">Testim
```

Syntax of link type valid for <a> and <area>:

A whitespace-separated list of link types listed as allowed on <a> and <area> in the HTML specification or listed as an allowed on <a> and <area> on the Microformats wiki without duplicate keywords in the list. You can register link types on the Microformats wiki yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 171, column 4; to line 171, column 89

```
info"><header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```

<http://alarmcoaudiotech.com/security-and-surveillance-terms/cellular-control-channel/>



**Info:** The Content-Type was text/html. Using the HTML parser.

**Info:** Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

**Error:** Element script must not have attribute charset unless attribute src is also specified.

From line 35, column 1; to line 35, column 47

```
/script><script type="text/javascript" charset="utf-8">/**
```

**Error:** Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1> <div id="site-description">
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Element `div` not allowed as child of element `hgroup` in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div> <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;">
```

Contexts in which element `div` may be used:

Where `flow content` is expected.

Content model for element `hgroup`:

One or more `h1`, `h2`, `h3`, `h4`, `h5`, and/or `h6` elements.

**Error:** Attribute `pubdate` not allowed on element `time` at this point.

From line 118, column 166; to line 118, column 235

```
bookmark"><time class="entry-date" datetime="2011-12-25T20:48:19+00:00" pubdate>Decemb
```

Attributes for element `time`:

Global attributes

datetime

pubdate

**Error:** Bad value `category tag` for attribute `rel` on element `a`: Keyword category is not registered.

From line 128, column 28; to line 128, column 176

```
posted in <a href="http://alarmcoaudiotech.com/category/security-and-surveillance-terms/" title="View all posts in Security Industry Terms" rel="category tag">Securi
```

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>` and `<area>` on the [Microformats wiki](#) without duplicate keywords in the list. You can register link types on the [Microformats wiki](#) yourself.

**Error:** The element header must not appear as a descendant of the footer element.

From line 172, column 4; to line 172, column 89

```
info"> <header style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;"><hgrou
```



Info: The Content-Type was text/html. Using the HTML parser.

Info: Using the schema for HTML5 + SVG 1.1 + MathML 3.0 + RDFa Lite 1.1.

Error: Element script must not have attribute charset unless attribute src is also specified.

From line 36, column 1; to line 36, column 47

```
/script><script type="text/javascript" charset="utf-8"> /**
```

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 64, column 4; to line 64, column 30

```
></h1> <div id="site-description"> <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Element div not allowed as child of element hgroup in this context. (Suppressing further errors from this subtree.)

From line 68, column 4; to line 68, column 91

```
</div> <div style="float:right;font-size:1.6em;text-align:right;margin-top:8px;line-height:1;"> <
```

Contexts in which element div may be used:

Where flow content is expected.

Content model for element hgroup:

One or more h1, h2, h3, h4, h5, and/or h6 elements.

Error: Attribute pubdate not allowed on element time at this point.

From line 130, column 166; to line 130, column 235

```
bookmark"><time class="entry-date" datetime="2011-12-25T20:48:19+00:00" pubdate>Decemb
```

Attributes for element time:

Global attributes

datetime

pubdate

Error: Bad value category tag for attribute rel on element a: Keyword category is not registered.

From line 141, column 15; to line 141, column 163

Posted in `<a`  
`href="http://alarmcoaudiotech.com/category/security-and-surveillance-terms/" title="View all posts in Security Industry Terms" rel="category tag">`Securi

Syntax of link type valid for `<a>` and `<area>`:

A whitespace-separated list of link types listed as allowed on `<a>` and `<area>` in the [HTML specification](#) or listed as an allowed on `<a>` and `<area>` on the [Microformats wiki](#) without duplicate keywords in the list. **You can register link types on the [Microformats wiki](#) yourself.**

**Error:** The element header must not appear as a descendant of the footer element.

From line 180, column 4; to line 180, column 89

info">↵ `<header`  
`style="float:left;width:100%;clear:both;margin-bottom:1em;text-align:center;">``<hgrou`